



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Restart Medical LLC
10423 E Naranja Ave
Mesa, AZ 85209
USA
480-331-9431

Sample Information

ARL ID: 734999
Date Received: 3/22/2024
Date Tested: 4/1/2024
Description: T2 Cream
Lot#: 0324009

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Complete Micro Profile</u>	USP <2021>, USP <2022>, AOAC 991.14					24
Total Plate Count	USP <2021>	10	Record Only	None Detected	cfu's/g	24
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	24
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	24
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	24
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	24
Yeast and Mold (Rapid)	AOAC 2014.05	10	Record Only	None Detected	cfu's/g	24
Clostridium Species	USP <2022>	Absent	Record Only	Absent	cfu's/g	1
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.015	ppm	1

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible

Form: arcoa031201a Report: 734999

experience • professionalism • value

Released by: Jacob Teller

Printed on: 4/1/2024 5:32:59 PM

Date Released: 4/1/2024

This Certificate of Analysis (COA) represents data only for the sample provided and is valid only in conjunction with the provided QR code. It does not constitute a guarantee of quality for the entire production lot. This COA shall not be reproduced, except in its entirety. Amendments to this COA shall be made only by ARL through written requests by the Client to whom this COA is issued. As a confirmation of validity, the above-provided QR code links to this exact COA on ARL servers. Its absence signals potential alterations.



Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
----------	--------	------------	---------------	---------	-----	--------

growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

